



>48Hrc

Acciai

Acciai

Acciai

Alu<9%

Inox < 900

Ghisa


1404

FRESA

64 Hrc  
Durezza

48 Hrc  
Durezza

36 Hrc  
Durezza




## FRESA Z4

d1 mm	d2 mm	l2 mm	l1 mm	Tempi Consegna	N	Fz / avanzamento mm/z Sgros. - Finit.	Code 1404	Fresatura
1,0	6	3	50	●	4	0,003 - 0,009	-D1,0	
2,0	6	4	50	●	4	0,002 - 0,010	-D2,0	
3,0	6	6	50	●	4	0,002 - 0,010	-D3,0	
4,0	6	8	50	●	4	0,003 - 0,015	-D4,0	
5,0	6	8	50	●	4	0,007 - 0,023	-D5,0	
6,0	6	13	57	●	4	0,009 - 0,025	-D6,0	
8,0	8	19	63	●	4	0,011 - 0,025	-D8,0	
10,0	10	22	72	●	4	0,016 - 0,037	-D10,0	
12,0	12	26	83	●	4	0,021 - 0,043	-D12,0	
16,0	16	32	92	●	4	0,026 - 0,051	-D16,0	
20,0	20	38	104	●	4	0,032 - 0,059	-D20,0	

**VHM**

**1404**



Vt (m/min)	Applicazione fresa							
Typ work	Acciaio <500	Acciaio <800	Acciaio automatico	Acciaio legato	Acciaio da utensili	Acciaio Inox	Leghe speciali, titanio	Ghisa
Finitura	115	95	95	95	95	70	65	125
sgrossatura	100	80	80	80	80	55	45	110